	Application No.	Applicant(s)
Notice of Allowability	09/960,613	KRULIK, GERALD A.
	Examiner	Art Unit
	Peter A. Hruskoci	1724
The MAILING DATE of this communication apperature All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this app or other appropriate communication GHTS. This application is subject to	plication. If not included will be mailed in due course, THIS
 This communication is responsive to <u>10-02-03</u>. The allowed claim(s) is/are <u>1-15</u>. The drawings filed on are accepted by the Examiner Acknowledgment is made of a claim for foreign priority une All b) Some* c) None of the: 		
 Certified copies of the priority documents have 		
Certified copies of the priority documents have	been received in Application No	
3. Copies of the certified copies of the priority doc International Bureau (PCT Rule 17.2(a)).	cuments have been received in this	national stage application from the
 * Certified copies not received: 5. Acknowledgment is made of a claim for domestic priority ur reference was included in the first sentence of the specifica (a) The translation of the foreign language provisional a 6. Acknowledgment is made of a claim for domestic priority ur in the first sentence of the specification or in an Application 	tion or in an Application Data Sheet pplication has been received. nder 35 U.S.C. §§ 120 and/or 121 si	. 37 CFR 1.78.
Applicant has THREE MONTHS FROM THE "MAILING DATE" of below. Failure to timely comply will result in ABANDONMENT of t	this communication to file a reply cohis application. THIS THREE-MON	omplying with the requirements noted NTH PERIOD IS NOT EXTENDABLE
 A SUBSTITUTE OATH OR DECLARATION must be submi INFORMAL PATENT APPLICATION (PTO-152) which give 	tted. Note the attached EXAMINER' s reason(s) why the oath or declara	S AMENDMENT or NOTICE OF tion is deficient.
 CORRECTED DRAWINGS (as "replacement sheets") must (a) ☐ including changes required by the Notice of Draftsperson 1) ☐ hereto or 2) ☐ to Paper No 	on's Patent Drawing Review (PTO-	
(b) I including changes required by the proposed drawing co		
(c) ☐ including changes required by the attached Examiner's	Amendment / Comment or in the O	ffice action of Paper No
Identifying indicia such as the application number (see 37 CFR 1. each sheet. Replacement sheet(s) should be labeled as such in the	84(c)) should be written on the drawin the margin according to 37 CFR 1.121(c	ngs in the front (not the back) of
9. ☐ DEPOSIT OF and/or INFORMATION about the deposattached Examiner's comment regarding REQUIREMENT FOR T		
Attachment(s)		
1☐ Notice of References Cited (PTO-892)	5∐ Notice of Informal Pa	tent Application (PTO-152)
2 Notice of Draftperson's Patent Drawing Review (PTO-948)		PTO-413), Paper No
3 Information Disclosure Statements (PTO-1449 or PTO/SB/08) Paper No	7⊠ Examiner's Amendme	ent/Comment
4⊡ Examiner's Comment Regarding Requirement for Deposit of Biological Material	8∭ Examiner's Statemen 9∭ Other	t of Reasons for Allowance Heler A. Hruskoci Primary Examiner Art Unit: 1724

Application/Control Number: 09/960,613

Art Unit: 1724

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Michael I. Falkoff on 12-3-03.

The application has been amended as follows:

In claim 1 line 3 before "," – in a filter tank and said flocculated materials clog the filter – has been inserted; in line 5 "floc...in" has been changed to – flocculated materials into dispersed precipitates, cleaning the filter in said filter tank with – has been inserted; in line 6 before "," – for a time to ensure dispersion of said precipitates – has been inserted; and in lines 6 and 7 "clogged flocculated...membrane" has been changed to – dispersed precipitates from the filter -.

In claim 11 line 3 before "," – in a filter tank and said flocculated materials clog the filter – has been inserted; in line 6 "soaking...agent" has been changed to - cleaning the filter in said filter tank with said wastewater and dispersing agent for a time to ensure dispersion of said precipitates – has been inserted; and in lines 7 and 8 "clogged flocculated...filter" has been changed to – dispersed precipitates from the filter -.

In the specification on page 3 line 16 "oxidiziers" has been changed to – oxidizer -; on page 6 line 9 "logged" has been changed to – clogged -; and on page 7 line 1 "waster" has been changed to – waste -.

Art Unit: 1724

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Peter A. Hruskoci whose telephone number is 703-308-3839. The examiner can normally be reached on Monday through Friday from 6:30AM-4:00PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Blaine Copenheaver can be reached on 703-308-1261. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9310.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-308-0661.

Peter A. Hruskoci Primary Examiner Art Unit 1724 Page 3

12/3/03